

FOIA # 12715

THE LAW OFFICE OF KENNETH M. MOLLINS, P.C.

425 Broad Hollow Road, Suite 215

Melville, New York 11747

Tel: (631) 608-4100

Fax: (631) 608-4107

KENNETH M. MOLLINS

Administrators

Brenda Mollins

Karen Moss

Derek Mollins

PETER CITRIN

LEO G. BEVOLAS

February 13, 2013

Paralegals

Sandra Clifford

Michelle Curry

Lisa Joseph

Cosette Rodriguez

Att: FOIL Unit
Port Authority of New York and New Jersey
225 Park Avenue South
New York, NY 10003

Re: **Our Client:** Florence Sanford
Date of Accident: 10/14/09
Location: Delta Terminal 3 at JFK Airport
Jamaica, New York
Our File No: 20100703

3-21-13 11:02:21 AM

Dear Sir/Madam:

We represent the above-named claimant for personal injuries sustained as a result of dangerous conditions that exist in the area of the Delta Terminal 3 at JFK Airport., Jamaica, New York. Kindly advise the undersigned of any and all repair orders, violations, complaints or incidents involving that location for a period of three (3) years prior to the date of loss. Any copies of records stating times when exterior sidewalk and roadway lighting are turned on and off operating of the exterior portion of JFK Airport at Delta Terminal 3.

This request is being made pursuant to the Freedom of Information Act. Kindly forward the requested documentation as soon as possible. Your anticipated cooperation is greatly appreciated.

If you have any questions, please do not hesitate to contact the undersigned.

Very truly yours,

LAW OFFICE OF KENNETH M. MOLLINS, P.C.

By: _____

Lisa Joseph
Legal Assistant

THE PORT AUTHORITY OF NY & NJ

FOI Administrator

March 1, 2013

Ms. Lisa Joseph
The Law Office of Kenneth M. Mollins, P.C.
425 Broad Hollow Road, Suite 215
Melville, NY 11747

Re: Freedom of Information Reference No. 13775


Dear Ms. Joseph:

This is a response to your February 13, 2013 request, which has been processed under the Port Authority's Freedom of Information Code, (the "Code", copy attached), for copies of records related to repair orders, violations, complaints or incidents at JFK Delta Terminal 3 for a period of three years prior to 10/14/09, and copies of records stating when the exterior sidewalk and roadway lighting are turned on and off operating of the exterior portion of the aforementioned location.

Please be advised that we have searched our files and found no documents responsive to the request.

Please refer to the above FOI reference number in any future correspondence relating to your request.

Very truly yours,



Daniel D. Duffy
FOI Administrator

Attachment