

BARRY, MCTIERNAN & MOORE

COUNSELORS AT LAW

2 RECTOR STREET 14th Floor

NEW YORK, NEW YORK 10006

WESTCHESTER OFFICE
55 CHURCH STREET
WHITE PLAINS, NY 10601
TEL: (914) 946-1030
FAX: (914) 946-3814

TEL: (212) 313-3600
FAX: (212) 608-8901
FAX: (212) 608-8902 (TOXIC TORT)

CONNECTICUT OFFICE
27 LONG MEADOW ROAD
TRUMBULL, CT 06611
TEL: (203) 261-8060
FAX: (203) 268-0384

February 24, 2014

Records Access Officer

RE: Port Authority Bus Terminal 625 8th Avenue New York, NY 10018

Dear Records Access Officer:

This is a request under the Freedom of Information Act for any **boiler records pertaining to the above listed location. We are also looking for any records of asbestos abatement being performed at this facility.**

If you would like to discuss this request in further detail, please feel free to contact me via email at ftenia@bmmfirm.com or phone at 212-313-3635.

Thank you for your attention to this matter.

Sincerely,

Fenton Tenia

03-04-14P02:10 RCVD

Torres Rojas, Genara

From: ftenia@bmmfirm.com
Sent: Wednesday, August 13, 2014 12:44 PM
To: Duffy, Daniel; American, Heavyn-Leigh
Cc: Torres Rojas, Genara; Van Duyne, Sheree
Subject: Freedom of Information Online Request Form

Information:

First Name: Fenton
Last Name: Tenia
Company: Barry McTiernan & Moore
Mailing Address 1: 2 Rector Street 14 Floor
Mailing Address 2:
City: New York
State: NY
Zip Code: 10006
Email Address: ftenia@bmmfirm.com
Phone: 212-313-3635
Required copies of the records: Yes

List of specific record(s):

This request is in reference to the FOI request 14729. Mr. Duffy responded to my request requiring a timeframe. I am looking for certified copies of boiler records including but not limited to: installation, inspection, maintenance, manufacturer, and etc for the Port Authority Bus Terminal located at 625 8th Ave New York, NY 10018 from 1950-1983

THE PORT AUTHORITY OF NY & NJ

FOI Administrator

May 13, 2016

Mr. Fenton Tenia
Barry, McTierney & Moore
2 Rector Street, 14th Floor
New York, NY 10006

Re: Freedom of Information Reference No. 14729


Dear Mr. Tenia:

This is a response to your August 13, 2014 request, which has been processed under the Port Authority's Freedom of Information Code, copy enclosed, for certified copies of any boiler records pertaining to the Port Authority Bus Terminal 625 8th Avenue, New York, NY 10018, and copies of any records of asbestos abatement being performed at the aforementioned location from 1950-1983.

Please be advised that we have searched our files and found no documents responsive to the request. The records that may have been responsive to the request, to the extent that they existed, were likely destroyed at The World Trade Center on September 11, 2001.

Please refer to the above FOI reference number in any future correspondence relating to your request.

Sincerely,



Danny Ng
FOI Administrator

Enclosure

*4 World Trade Center, 18th Floor
150 Greenwich Street
New York, NY 10007
T: 212 435 3642 F: 212 435 7555*