

Torres Rojas, Genara

From: mmendelsohn@mskf.net
Sent: Thursday, January 15, 2015 12:04 PM
To: Duffy, Daniel
Cc: Torres Rojas, Genara; Van Duyne, Sheree; Ng, Danny
Subject: Freedom of Information Online Request Form

Information:

First Name: Matthew
Last Name: Mendelsohn
Company: Mazie Slater Katz & Freeman, LLC
Mailing Address 1: 103 Eisenhower Parkway
Mailing Address 2:
City: Roseland
State: NJ
Zip Code: 07068
Email Address: mmendelsohn@mskf.net
Phone: 9732289898
Required copies of the records: Yes

List of specific record(s):

1 Policies and Procedures regarding inspection, maintenance, repairs, testing, and calibration of exact change toll booths maintained by the Port Authority. 2 Records regarding the inspection, maintenance, repairs, testing and calibration of exact change toll booths maintained by the Port Authority. 3 Records regarding what is done when it is determined that an exact change collector has becomes clogged or has stopped working. 4 Records relating to a monies that are found on the ground in the vicinity of an exact change collector. 5Records regarding the the policy or procedure for handling alleged toll payment violations when an exact change collector is found to be clogged, inoperable or not working correctly.

THE PORT AUTHORITY OF NY & NJ

FOI Administrator

January 21, 2015

Mr. Matthew Mendelsohn
Mazie Slater Katz & Freeman, LLP
103 Eisenhower Parkway
Roseland, NJ 07068

Re: Freedom of Information Reference No. 15690


Dear Mr. Mendelsohn:

This is a response to your January 15, 2015 request, which has been processed under the Port Authority's Freedom of Information Code, copy enclosed, for copies of the following records: "1 Policies and Procedures regarding inspection, maintenance, repairs, testing, and calibration of exact change toll booths maintained by the Port Authority. 2 Records regarding the inspection, maintenance, repairs, testing and calibration of exact change toll booths maintained by the Port Authority. 3 Records regarding what is done when it is determined that an exact change collector has becomes clogged or has stopped working. 4 Records relating to a monies that are found on the ground in the vicinity of an exact change collector. 5Records regarding the the policy or procedure for handling alleged toll payment violations when an exact change collector is found to be clogged, inoperable or not working correctly."

Please be advised that we have searched our files and found no documents responsive to the request.

Please refer to the above FOI reference number in any future correspondence relating to your request.

Sincerely,



Daniel D. Duffy
FOI Administrator

Enclosure

4 World Trade Center, 18th Floor
150 Greenwich Street
New York, NY 10006
T: 212 435 3642 F: 212 435 7555